




Ferre

Cooker Hoods Catalogue
2022



The catalog that you will review, presents our hood products at our current product range while starting 2022. All products have been designed to offer most appropriate usage and feed aesthetic requirements by considering end-users' needs carefully. The catalog includes product models, size and color options alongside with all technical features that one needs while purchasing.

Ferre | bettercooking
betterliving

Index



6 General Features

6 Variety of Size

8 Variety of Models

10 LED Lighting

12 Carbon Filter

16 Color Options

18 Color Options of Filters



20 Angled Inclined


22 Control Types

26 Setting

28 Models

30 D001 Series

42 D002 Series



60 Pyramid

62 Bar Colors

64 Additional Colors

66 Models

68 D003 Series

76 D004 Series



84 Telescopic

86 Rocker Key

88 Models

90 D008 Series



98 Canopy

100 Models

102 D006 Series



110 T-Type

112 Models

114 D010 Series

126 Product Range

128 D001 Series

137 D002 Series

146 D003 Series

148 D004 Series

150 D008 Series

152 D006 Series

154 D010 Series



Product Sizes for Your Space

Besides the wide product range in our collections, we provide size alternatives to ensure creating a product range that is suitable for all kitchen types. Along with the compact models like 50 cm that can be adapted to small places, we offer size options for up to 90 cm models that are compelling and also be mounted as a main object of the kitchen. You can choose the best size for your space by consulting our team.




Icons of Product Sizes can be seen on Product Pages




Product Types for Your Space


If you are looking for displayable products or you want products that perform well without being obtrusive in confined spaces our product range is ready to fulfill your needs. We offer a wide product range from versions of classic sliding models that were developed with small details by our team, to different products that were created with new technologies and design decisions.




Angled Inclined




Pyramid



Telescopic



Canopy



T Type



LED Lighting

Local lighting is an important factor while working on the hob. Ferre Hoods products' energy efficient LED Lighting system, contributes to the ambience of the products and kitchens while providing the lighting. It is possible to offer end-users unique experience with these products that contribute to focus the beauty of the kitchens and the process.



Products with LED lighting are marked with the icon in the figure.



Carbon Filter

Time gets more joyful in the kitchen with the filter system that is preventing releases of unwanted odors and the system that provides cleaning air by absorbing unwanted odors. Filter system provides high performance for many years as long as maintained regularly. There are also models with the filter features that are easily separated from the product.



Products with Carbon Filter option are marked with the icon in the figure.

D001 Carbon Filter

Filter Sizes

Ø140 mm x 32 mm

Available Models

D001 Series

D003 Series

D008 Series

Packaging Size

150 x 60 x 150 mm



D002 Carbon Filter

Filter Sizes

Ø163 mm x 36 mm

Available Models

D002 Series

D004 Series

Packaging Size

170 x 70 x 170 mm





Wide Color Options

We also offer wide color options in all our product range to ensure maximum compatibility to personalized spaces beyond fulfilling size and model requirements. Our color range varies model to model prepared regarding users demands. Different colors added to the collection for adapting different kitchen styles.


Color Options can be seen on Product Pages and Product Range Pages.



Filter Colors

In selecting product types, filter color options are provided in order to meet user requirements and demands beyond the expected. Along with they providing only for selected models, designed for making easier personalization in higher segments and creating more premium appearance.

Color Options can be seen on Product Pages and Product Range Pages.



Ferre Cooker Hood / Segment 1

ANGLED INCLINED

Beyond their functionality, inclined hood models that are carrying appearance to the modern point beyond are the unique part of the new generation kitchens. Along with supporting impressive appearance, this is an outstanding collection with its long lasting performance details. Also, makes it easier to reach the cooking area by creating more space with its angled form. It is also perfect for the adopting to end-users space with different control panels, settings and color options.



Control Types

Push Button Control Type

This system, which provides control with a finger pushing even during the busy moments at the kitchens that are intensely used, functions without being affected by the factors like wetness.

Models With Push Button Control Type

D001 Series

Mono Glazed 50 cm and 60 cm Models
Double Glazed 50 cm and 60 cm Models
Triple Glazed 50 cm and 60 cm Models

D003 Series

Available for all models

D002 Series

Mono Glazed 60 cm Models
Double Glazed 60cm and 90cm Models
Triple Glazed 60 cm and 90 cm Models

D004 Serisi

Available for all models

Touch-Screen Control Type

One can activate and control with a one touch of their fingers thanks to the control system which is integrated on the surface of the product. This control type, which is offered for an option to use with inclined hoods considered as a modern collection, provides a catchy experience in the sense of both usage and appearance.

Models with Touch Control Type

D001 Series

Mono Glazed 50 cm and 60 cm Models
Double Glazed 50 cm and 60 cm Models
Triple Glazed 50 cm and 60 cm Models

D002 Series

Mono Glazed 60 cm Models
Double Glazed 60 cm and 90 cm Models
Triple Glazed 60 cm and 90 cm Models
Assymetrical 60 cm and 90 cm Models
Wavy 60 cm and 90 cm Models



7 -Segment Touch Control Type

This control type which can be chosen for the kitchens desired to catch up with latest technologies, decreased control panel space to minimum. Only with 4 control type enables to fulfilled all functions, also makes a contribution to appearance modern angled hoods and make much modern the areas that they are used in.

Models with 7-Segment Touch-Screen Control Type

D001 Series


Mono Glazed 60 cm Models
Double Glazed 60 cm Models
Triple Glazed 60 cm Models

D002 Series

Mono Glazed 60 cm Models
Double Glazed 60 cm and 90 cm Models
Triple Glazed 60 cm and 90 cm Models
Assymetrical 60 cm and 90 cm Models
Wavy Triple Glazed 60 cm and 90 cm Models

Decor Alternatives

To carry general customization options to the next level, some devices from our product range with the inox details can be presented with the add-ons that are listed on the right side. Products that are available with these inox details which are perfect for unique touch and mobility will be indicated. Products with decor options are marked with the icon in the figure.



Products with decor option are marked with the icon in the figure.



Vertical Decor

D001, Double Glazed 60 cm



Top Decor

D001, Mono Glazed 60 cm



Bottom Decor

D001, Mono Glazed 60 cm



Horizontal Decor

D001, Double Glazed 60 cm



Top- Bottom Decor

D001, Mono Glazed 60 cm



ANGLED INCLINED: MODELS

D001 Series: 25 Models

D002 Series: 23 Models

D001 Angled Inclined Hood Mono Glazed 50 cm

- 50 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Type



Push-Button



Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D001 Angled Inclined Hood

Double Glazed 50 cm

- 50 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class D
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h



Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Type



Push-Button



Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D001 Angled Inclined Hood

Triple Glazed 50 cm

- 50 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class D
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing



Variations

Control Type



Push-Button



Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D001 Angled Inclined Hood Mono Glazed 60 cm

- 60 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Type



Push-Button



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D001 Angled Inclined Hood

Double Glazed 60 cm



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Type



Push-Button




Touch-Screen



7 Segment Touch-Screen

Color



Filter Color



D001 Angled Inclined Hood

Triple Glazed 60 cm

- 60 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations


Control Type



Push-Button



Touch-Screen



7 Segment Touch-Screen



Color



Filter Color



D002 Angled Inclined Hood Mono Glazed 60 cm



Technical Specifications

Chimney Outlet
Ø150 mm

Max. Voice Power
59 dB


Total Power
117 W

Max Flow
550 m3/h

Lighting Type
2x1W led lighting

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing



Variations


Control Type



Push-Button



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Double Glazed 60 cm

- 60 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class D
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing



Variations

Control Type



Push-Button



Touch-Screen



7 Segment Touch-Screen

Color


- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Triple Glazed 60 cm



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m³/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing



Variations


Control Type



Push-Button




Touch-Screen



7 Segment Touch-Screen

Color




Filter Color



D002 Angled Inclined Hood

Asymmetrical Triple Glazed 60 cm

- 60 cm
- Distance from Electric Hob: 60 cm
- Distance from Gas Hob: 65 cm
- Energy Class: D
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W


Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Types



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey


Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Wavy Triple Glazed 60 cm

- 60 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W


Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations

Control Types



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Double Glazed 90 cm

- 90 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m³/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing




Variations


Control Type



Push-Button



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey


Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Triple Glazed 90 cm


- 90 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class D
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet Ø150 mm	Max Flow 550 m3/h
Max. Voice Power 59 dB	Lighting Type 2x1W led lighting
Total Power 117 W	Filter 3 layered cassette filter +optional carbon filter

Technical Drawing



Variations

Control Type

- Push-Button
- Touch-Screen
- 7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Asymmetric Triple Glazed 90 cm

- 90 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+optional carbon filter

Technical Drawing



Variations

Control Types



Touch-Screen



7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal

D002 Angled Inclined Hood

Wavy Triple Glazed 90 cm


- 90 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet Ø150 mm	Max Flow 550 m3/h
Max. Voice Power 59 dB	Lighting Type 2x1W led lighting
Total Power 117 W	Filter 3 layered cassette filter +optional carbon filter

Technical Drawing



Variations

Control Types


- Touch-Screen
- 7 Segment Touch-Screen

Color

- Black
- Cream
- White
- Grey

Filter Color

- Black
- Metal



Ferre Cooker Hood / Segment 2

PYRAMID

Pyramid hoods are considered as ancestors in the hoods' culture. Compared to former hoods, they function in a more effective and easy way thanks to their form tapering up. This is an easily cleanable model with its accessible filters, besides its appearance that makes it feel it gives desired performance in the dynamic kitchens. Pyramid hood collection whose performance increased to high segments by supporting with technologies that we used and detail parts, is suitable for answering demands of classical and compact kitchen experiences as well as being adopted all kind of kitchens.



Bar Colors

There are different bar color alternatives for selected models. Selection is available among three colors below. Bar color options for the models can be seen in the variations section of the product pages.

Silver



Rustic Tumbled



Shiny Brass






Additional Colors

For selected pyramid models, filter and button color sets offered as an option under the plus color options. These colors can also be seen on the product pages.

White+



Grey+



Inox+



Cream+



Black+









PYRAMID: MODELS

D003 Series: 4 Models

D004 Series: 4 Models

D003 Pyramid Hood 50 cm



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types







Push Button

Color

- Black
- Black+
- White
- White+
- Cream
- Cream+
- Grey
- Grey+
- Inox
- Inox+
- Red
- Brown
- Filter Color**
- Black
- Metal

D003 Pyramid Hood 60 cm



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button





Color

- Black
- Black+
- White
- White+
- Cream
- Cream+
- Grey
- Grey+
- Inox
- Inox+
- Red
- Brown

Filter Color

- Black
- Metal

D003 Pyramid Hood 60 cm with a Rustic Bar



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

- Black
- White
- Cream
- Grey
- Inox




Bar Color

- Grey
- Orange
- Gold

Filter Color

- Black
- Metal

D003 Pyramid Hood 60 cm with a Country Bar



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing




Variations

Control Types



Push Button

Color







Bar Color



Filter Color



D004 Pyramid Hood 60 cm



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
450 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button





Color

- Black
- Black+
- White
- White+
- Cream
- Cream+
- Grey
- Grey+
- Inox
- Inox+
- Red
- Brown

Filter Color

- Black
- Metal

D004 Pyramid Hood 60 cm with a Rustic Bar



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
450 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

- Black
- White
- Cream
- Grey
- Inox





Bar Color

- Grey
- Orange
- Gold

Filter Color

- Black
- Metal

D004 Pyramid Hood 90 cm



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
450 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button






Color

- Black
- Black+
- White
- White+
- Cream
- Cream+
- Grey
- Grey+
- Inox
- Inox+
- Red
- Brown

Filter Color

- Black
- Metal

D004 Pyramid Hood 90 cm with a Rustic Bar



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
450 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing







Variations

Control Types



Push Button



Color



Bar Color



Filter Color





Ferre Cook Hood / Segment 3

Telescopic

Telescopic hoods which are the best option for the users who do not want to interrupt the continuous view of their kitchens are reconsidered as varied by Ferre. Telescopic hoods which are aimed to comply with the different kitchen styles with the model and color options, are ideal for the small kitchens.

Rocker Key

In telescopic hood models we have a different control type different from the others. Telescopic hoods are used with the button system called as Rocker Key.









TELESCOPIC: MODELS

D008 Series: 4 Models

D008 Telescopic Hoods Diamond



Technical Specifications

Chimney Outlet

Ø120 mm

Max Flow

300 m3/h

Max. Voice Power

59 dB

Lighting Type

2x1W led lighting


Total Power

102 W

Filter


3 layered cassette filter
+Optional carbon filter

Technical Drawing




Variations

Control Types




Rocker Key






Color



Filter Color



D008 Telescopic Hoods Crystal



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h



Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W


Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Rocker Key

Color

Black





White

Filter Color

Black

Metal

D008 Telescopic Hoods Smart



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h



Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W


Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Rocker Key

Color

Black

White




Inox

Filter Color

Black

Metal

D008 Telescopic Hoods Elite



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h



Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W


Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Rocker Key

Color

Black


White

Inox

Filter Color

Black

Metal



Ferre Cooker Hood / Segment 4

CANOPY

Canopy cooker hood models provide maximum efficiency to the users without taking up space on the tiny kitchens. With the touch and push-button alternatives this model creates options for the users who want flueless usage.







CANOPY: MODELS

D006 Series: 4 Models

D006 Canopy Cooker Hood

50 cm Push Button



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

Black

White

Cream

Grey

Inox

Red

Brown





Filter Color

Black

Metal

D006 Canopy Cooker Hood

50 cm Push Button Comfort



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

Black

White

Cream

Grey

Inox

Red

Brown





Filter Color

Black

Metal

D006 Canopy Cooker Hood

50 cm Slider



Technical Specifications

Chimney Outlet

Ø120 mm

Max Flow

300 m3/h

Max. Voice Power

59 dB

Lighting Type

2x1W led lighting


Total Power

102 W

Filter

3 layered cassette filter
+Optional carbon filter

Technical Drawing







Variations

Control Types





Slider Control

Color




Filter Color



D006 Canopy Cooker Hood

50 cm Slider Comfort



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m³/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Slider Control

Color

Black

White

Cream

Grey

Inox

Red

Brown




Filter Color

Black

Metal

D006 Canopy Cooker Hood

50 cm Glass Push Button



Technical Specifications

Chimney Outlet
Ø120 mm

Max Flow
300 m3/h


Max. Voice Power
59 dB

Lighting Type
2x1W led lighting

Total Power
102 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

Black

White


Cream

Grey

Filter Color

Black

Metal



Ferre Cooker Hood / Segment 5

T-TYPE

T type hoods which provide maximum suction power increase cooking experience as well as with their elegant design. It offers different design options supported with glass. It leaves the choice to the user with the varied control types so being eye-pleasing for different tastes.







T-TYPE: MODELS

D010 Series: 6 Models

D010 T-Type Cooker Hood

60 cm Push Button



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color

Black Black+

White White+

Cream Cream+

Grey Grey+

Inox Inox+

Red





Brown

Filter Color

Black Metal

D010 T-Type Cooker Hood

60 cm Push Button Glass Ceiling



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Push Button

Color





- Black
- Black+
- White
- White+
- Cream
- Cream+
- Grey
- Grey+
- Inox
- Inox+
- Red
- Brown

Filter Color

- Black
- Metal

D010 T-Type Cooker Hood

60 cm Touch-Screen



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Touch Screen

Color

Black

White

Cream

Grey

Inox

Red

Brown





Filter Color

Black

Metal

D010 T-Type Cooker Hood

60 cm Touch-Screen Plus



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m³/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W


Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



Touch Screen

Color

Black

White

Cream

Grey

Inox

Red

Brown

Filter Color

Black

Metal

D010 T-Type Cooker Hood 60 cm 7 Segment

- 60 cm
- 60 cm Distance from Electric Hob
- 65 cm Distance from Gas Hob
- Energy Class
- LED Lighting
- Carbon Filter



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W

Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



7 Segment Touch Screen

Color

Black

White

Cream

Grey

Inox

Red

Brown





Filter Color

Black

Metal

D010 T-Type Cooker Hood

60 cm 7 Segment Plus



Technical Specifications

Chimney Outlet
Ø150 mm

Max Flow
550 m3/h


Max. Voice Power
63 dB

Lighting Type
2x1W led lighting

Total Power
117 W


Filter
3 layered cassette filter
+Optional carbon filter

Technical Drawing



Variations

Control Types



7 Segment Touch Screen

Color

Black

White

Cream

Grey

Inox

Red

Brown

Filter Color

Black

Metal



PRODUCT RANGE

Sizes 50 cm, 60 cm and 90 cm and details consisted of the models: Angled Inclined, Pyramid, Telescopic, Canopy and T-type are on further pages. Color options are also included.

D001 50 cm Models

D001 50 cm Models

Angled Inclined - Mono Glazed
Push Button

Angled Inclined - Mono Glazed
Touch Screen

Angled Inclined - Double Glazed
Push Button

Angled Inclined - Double Glazed
Touch Screen

Angled Inclined - Triple Glazed
Push Button

Angled Inclined - Triple Glazed
Touch Screen



D001 60 cm Models

D001 60 cm Models

Angled Inclined - Mono Glazed
Push Button

Angled Inclined - Mono Glazed
Push Button
with a Bottom Decor

Angled Inclined - Mono Glazed
Push Button
with a Up-Bottom Decor

Angled Inclined - Mono Glazed
Push Button
with a Up Decor

Angled Inclined - Mono Glazed
Push Button
with a Vertical Decor

Angled Inclined - Mono Glazed
Touch Screen



D001 60 cm Models

D001 60 cm Models

Angled Inclined - Mono Glazed
7 Segment Touch Screen


Angled Inclined - Double Glazed
Push Button

Angled Inclined - Double Glazed
Push Button
with a Inox Decor

Angled Inclined - Double Glazed
Touch Screen

Angled Inclined - Double Glazed
Touch Screen
with a Horizontal Decor

Angled Inclined - Double Glazed
350 mm Topv Glass Touch Screen



D001 60 cm Models

D001 60 cm Models

Angled Inclined - Double Glazed
350 mm Bottom Glass Touch Screen



Angled Inclined - Double Glazed
Top Glass Touch Screen
Sheet Metal Panel 350 mm



Angled Inclined - Double Glazed
Top Glass Touch Screen
Sheet Metal Panel 350 mm
with a Bottom Decor



Angled Inclined - Double Glazed
7 Segment Touch Screen



Angled Inclined - Triple Glazed
Push Button



Angled Inclined - Triple Glazed
Touch Screen



D001 60 cm Models

Angled Inclined - Triple Glazed
7 Segment Touch Screen



D002 60 cm Models

Angled Inclined - Mono Glazed
Push Button



Angled Inclined - Mono Glazed
Touch Screen



Angled Inclined - Mono Glazed
7 Segment Touch Screen



D002 60 cm Models

D002 60 cm Models

Angled Inclined - Double Glazed
Push Button

Angled Inclined - Double Glazed
Touch Screen

Angled Inclined - Double Glazed
7 Segment Touch Screen

Angled Inclined - Triple Glazed
Push Button

Angled Inclined - Triple Glazed
Touch Screen

Angled Inclined - Triple Glazed
7 Segment Touch Screen



D002 60 cm Models

D002 60 cm Models

Angled Inclined - Asymmetric Triple Glazed Touch Screen

Angled Inclined - Asymmetric Triple Glazed 7 Segment Touch Screen

Angled Inclined - Wavy Triple Glazed Touch Screen

Angled Inclined - Wavy Triple Glazed 7 Segment Touch Screen



D002 90 cm Models

D002 90 cm Models

Angled Inclined - Double Glazed Push Button







Angled Inclined - Double Glazed Touch Screen

Angled Inclined - Double Glazed 7 Segment Touch Screen

Angled Inclined - Triple Glazed Push Button

Angled Inclined - Triple Glazed Touch Screen

Angled Inclined - Triple Glazed 7 Segment Touch Screen



D002 90 cm Models



D002 90 cm Models

Angled Inclined - Asymmetric
Triple Glazed
Touch Screen

Angled Inclined - Asymmetric
Triple Glazed
7 Segment Touch Screen

Angled Inclined - Wavy Triple Glazed
Touch Screen

Angled Inclined - Wavy Triple Glazed
7 Segment Touch Screen



D003 50 cm Models



D003 60 cm Models



D004 60 cm Models



D004 90 cm Models



D008 60 cm Models

D008 60 cm Models

Telescopic Diamond
Rocker Key



Telescopic Crystal
Rocker Key



Telescopic Smart
Rocker Key



Telescopic Elite
Rocker Key



D006 50 cm Models

D006 50 cm Models

Canopy
Push Button



Canopy
Push Button Comfort



Canopy
Slider



Canopy
Slider Comfort



Canopy
Glass Push Button




D010 60 cm Models

D010 60 cm Models

T Type
Push Button





T Type
Glass Ceiling Push Button



T Type
Touch Screen




T Type
Touch Screen Plus



T Type
7-Segment



T Type
7-Segment Plus



Ferre | bettercooking
betterliving

*Organize Sanayi Bölgesi,
9. Cadde No:17, 38070
Melikgazi - KAYSERİ*

*info@ferre.com.tr
www.ferre.com.tr*

www.femasgrup.com